

**2019 RAM DT 1500 Trailer Towing Chart - SAE J2807 Compliant  
US and Canada Markets**

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 1500 4X2 QUAD ST 6'4" BOX (Body Style DT1L41)</b>											
3.6L V6 w/ BSG HFE	850RE 8 Speed	3.21	6,010	1,210	4,798	2,735	2,063	3,700	4,100	11,900	6,730
<b>RAM 1500 4X2 QUAD ST 6'4" BOX (Body Style DT1L41)</b>											
3.6L V6 w/ BSG	850RE 8 Speed	3.21	6,900	2,100	4,798	2,735	2,063	3,700	4,100	11,900	6,730
3.6L V6 w/ BSG	850RE 8 Speed	3.55	6,900	2,100	4,798	2,735	2,063	3,700	4,100	12,900	7,730
3.6L V6 w/ BSG	850RE 8 Speed	3.92	6,900	2,100	4,798	2,735	2,063	3,700	4,100	12,900	7,730
3.6L V6 w/ BSG	850RE 8 Speed	3.21	7,100	2,300	4,798	2,735	2,063	3,700	4,100	11,900	6,730
3.6L V6 w/ BSG	850RE 8 Speed	3.55	7,100	2,300	4,798	2,735	2,063	3,700	4,100	12,900	7,730
3.6L V6 w/ BSG	850RE 8 Speed	3.92	7,100	2,300	4,798	2,735	2,063	3,700	4,100	12,900	7,730
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	6,900	1,900	5,004	2,929	2,075	3,700	4,100	13,900	8,510
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	6,900	1,900	5,004	2,929	2,075	3,700	4,100	13,900	8,510
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	6,900	1,900	5,004	2,929	2,075	3,700	4,100	17,000	11,610
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	6,900	1,900	5,004	2,929	2,075	3,700	4,100	17,000	11,610
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	6,900	1,830	5,068	2,970	2,098	3,700	4,100	13,900	8,460
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	6,900	1,830	5,068	2,970	2,098	3,700	4,100	13,900	8,460
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,830	5,068	2,970	2,098	3,700	4,100	17,000	11,560
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,830	5,068	2,970	2,098	3,700	4,100	18,200	12,750
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,830	5,068	2,970	2,098	3,700	4,100	18,200	12,750
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,830	5,068	2,970	2,098	3,700	4,100	17,000	11,560
<b>RAM 1500 4X2 CREW ST 6'4" BOX (Body Style DT1L91)</b>											
3.6L V6 w/ BSG	850RE 8 Speed	3.21	6,900	1,880	5,020	2,861	2,159	3,700	4,100	11,900	6,500
3.6L V6 w/ BSG	850RE 8 Speed	3.55	6,900	1,880	5,020	2,861	2,159	3,700	4,100	12,900	7,500
3.6L V6 w/ BSG	850RE 8 Speed	3.92	6,900	1,880	5,020	2,861	2,159	3,700	4,100	12,900	7,500
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	6,900	1,830	5,072	2,970	2,101	3,700	4,100	13,900	8,430
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	6,900	1,830	5,072	2,970	2,101	3,700	4,100	13,900	8,430
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	6,900	1,830	5,072	2,970	2,101	3,700	4,100	17,000	11,530
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	6,900	1,830	5,072	2,970	2,101	3,700	4,100	17,000	11,530
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	6,900	1,690	5,210	3,050	2,160	3,700	4,100	13,900	8,290
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	6,900	1,690	5,210	3,050	2,160	3,700	4,100	13,900	8,290
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,690	5,210	3,050	2,160	3,700	4,100	17,000	11,390
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,690	5,210	3,050	2,160	3,700	4,100	17,000	11,390

**2019 RAM DT 1500 Trailer Towing Chart - SAE J2807 Compliant  
US and Canada Markets**

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 1500 4X2 CREW ST 5'7" BOX (Body Style DT1L98)</b>											
3.6L V6 w/ BSG	850RE 8 Speed	3.21	6,900	1,930	4,971	2,834	2,138	3,700	4,100	11,900	6,520
3.6L V6 w/ BSG	850RE 8 Speed	3.55	6,900	1,930	4,971	2,834	2,138	3,700	4,100	12,900	7,520
3.6L V6 w/ BSG	850RE 8 Speed	3.92	6,900	1,930	4,971	2,834	2,138	3,700	4,100	12,900	7,520
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	6,900	1,850	5,054	2,926	2,128	3,700	4,100	13,900	8,440
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	6,900	1,850	5,054	2,926	2,128	3,700	4,100	13,900	8,440
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	6,900	1,850	5,054	2,926	2,128	3,700	4,100	17,000	11,540
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	6,900	1,850	5,054	2,926	2,128	3,700	4,100	17,000	11,540
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	6,900	1,740	5,161	2,989	2,173	3,700	4,100	13,900	8,330
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	6,900	1,740	5,161	2,989	2,173	3,700	4,100	13,900	8,330
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,740	5,161	2,989	2,173	3,700	4,100	17,000	11,430
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	6,900	1,740	5,161	2,989	2,173	3,700	4,100	17,000	11,430
<b>RAM 1500 4X4 QUAD ST 6'4" BOX (Body Style DT6L41)</b>											
3.6L V6 w/ BSG	850RE 8 Speed	3.21	6,800	1,710	5,090	2,902	2,189	3,900	4,100	11,900	6,410
3.6L V6 w/ BSG	850RE 8 Speed	3.55	6,800	1,710	5,090	2,902	2,189	3,900	4,100	12,900	7,410
3.6L V6 w/ BSG	850RE 8 Speed	3.92	6,800	1,710	5,090	2,902	2,189	3,900	4,100	12,900	7,410
3.6L V6 w/ BSG	850RE 8 Speed	3.21	7,100	2,010	5,090	2,902	2,189	3,900	4,100	11,900	6,440
3.6L V6 w/ BSG	850RE 8 Speed	3.55	7,100	2,010	5,090	2,902	2,189	3,900	4,100	12,900	7,440
3.6L V6 w/ BSG	850RE 8 Speed	3.92	7,100	2,010	5,090	2,902	2,189	3,900	4,100	12,900	7,440
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	7,100	1,970	5,134	3,052	2,083	3,900	4,100	13,900	8,370
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	7,100	1,970	5,134	3,052	2,083	3,900	4,100	13,900	8,370
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	7,100	1,970	5,134	3,052	2,083	3,900	4,100	17,000	11,470
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	7,100	1,970	5,134	3,052	2,083	3,900	4,100	17,000	11,470
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	7,100	1,820	5,280	3,151	2,129	3,900	4,100	13,900	8,230
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	7,100	1,820	5,280	3,151	2,129	3,900	4,100	13,900	8,230
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	7,100	1,820	5,280	3,151	2,129	3,900	4,100	17,000	11,330
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	7,100	1,820	5,280	3,151	2,129	3,900	4,100	17,000	11,330

**2019 RAM DT 1500 Trailer Towing Chart - SAE J2807 Compliant  
US and Canada Markets**

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 1500 4X4 CREW ST 6'4" BOX (Body Style DT6L91)</b>											
3.6L V6 w/ BSG	850RE 8 Speed	3.21	6,900	1,670	5,227	2,979	2,248	3,900	4,100	11,900	6,250
3.6L V6 w/ BSG	850RE 8 Speed	3.55	6,900	1,670	5,227	2,979	2,248	3,900	4,100	12,900	7,250
3.6L V6 w/ BSG	850RE 8 Speed	3.92	6,900	1,670	5,227	2,979	2,248	3,900	4,100	12,900	7,250
3.6L V6 w/ BSG	850RE 8 Speed	3.21	7,100	1,870	5,227	2,979	2,248	3,900	4,100	11,900	6,300
3.6L V6 w/ BSG	850RE 8 Speed	3.55	7,100	1,870	5,227	2,979	2,248	3,900	4,100	12,900	7,300
3.6L V6 w/ BSG	850RE 8 Speed	3.92	7,100	1,870	5,227	2,979	2,248	3,900	4,100	12,900	7,300
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	7,100	1,780	5,318	3,165	2,153	3,900	4,100	13,900	8,140
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	7,100	1,780	5,318	3,165	2,153	3,900	4,100	13,900	8,140
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	7,100	1,780	5,318	3,165	2,153	3,900	4,100	17,000	11,240
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	7,100	1,780	5,318	3,165	2,153	3,900	4,100	17,000	11,240
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	7,100	1,680	5,417	3,246	2,171	3,900	4,100	13,900	8,020
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	7,100	1,680	5,417	3,246	2,171	3,900	4,100	13,900	8,020
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	7,100	1,680	5,417	3,246	2,171	3,900	4,100	17,000	11,120
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	7,100	1,680	5,417	3,246	2,171	3,900	4,100	17,000	11,120
<b>RAM 1500 4X4 CREW ST 5'7" BOX (Body Style DT6L98)</b>											
3.6L V6 w/ BSG	850RE 8 Speed	3.21	6,900	1,770	5,133	2,926	2,207	3,900	4,100	11,900	6,370
3.6L V6 w/ BSG	850RE 8 Speed	3.55	6,900	1,770	5,133	2,926	2,207	3,900	4,100	12,900	7,370
3.6L V6 w/ BSG	850RE 8 Speed	3.92	6,900	1,770	5,133	2,926	2,207	3,900	4,100	12,900	7,370
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	7,100	1,840	5,260	3,093	2,167	3,900	4,100	13,900	8,240
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.21	7,100	1,840	5,260	3,093	2,167	3,900	4,100	13,900	8,240
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	7,100	1,840	5,260	3,093	2,167	3,900	4,100	17,000	11,340
5.7L V8 HEMI w/ MDS	8HP75 8 Speed	3.92	7,100	1,840	5,260	3,093	2,167	3,900	4,100	17,000	11,340
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	7,100	1,780	5,323	3,165	2,158	3,900	4,100	13,900	8,150
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.21	7,100	1,780	5,323	3,165	2,158	3,900	4,100	13,900	8,150
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	7,100	1,780	5,323	3,165	2,158	3,900	4,100	17,000	11,250
5.7L V8 HEMI w/ MDS & BSG	8HP75 8 Speed	3.92	7,100	1,780	5,323	3,165	2,158	3,900	4,100	17,000	11,250

**Notes:**

All weights are shown in pounds unless otherwise stated  
 Payload and Max Trailer weights are ESTIMATED values and rounded to nearest 10 lbs.  
 Payload = GVWR - Base Weight, MUST include trailer (tongue) weight if towing  
 Hitch rating, GAWRs, GVWRs and GCWRs should never be exceeded.  
 Recommended (trailer) tongue weight determined by class hitch receiver and hardware specifications of upfit.  
 Upfit or Aftermarket equipment weight(s) are not included in Base Weight and must be accounted for  
 For additional weight and trailer towing information please see 'General Information' section of Body Builders Guide