

## Snowplow Package (AHD) Availability on 2016 DD RAM Models

### ST Model

4X4 Chassis Cab			FGAWR	3500 DRW		
Driver Only				All	Manual	Automatic
8L63 Reg Cab	143.5"	6.7L TD Diesel	6,000	Available	Available	14,000
8L63 Reg Cab	143.5"	6.4L HD HEMI	5,500		Available	14,000
8L63 Reg Cab	143.5"	6.4L HD HEMI	5,500		Available	13,500
8L64 Reg Cab	167.5"	6.7L TD Diesel	6,000	Available	Available	14,000
8L64 Reg Cab	167.5"	6.4L HD HEMI	5,500		Available	14,000
8L64 Reg Cab	167.5"	6.4L HD HEMI	5,500		Available	13,500
8L93 Crew Cab	172.4"	6.7L TD Diesel	6,000	Available	Available	14,000
8L93 Crew Cab	172.4"	6.4L HD HEMI	5,500		Available	14,000
8L93 Crew Cab	172.4"	6.4L HD HEMI	5,500		Available	13,500

### ST Model

4X4 Chassis Cab			FGAWR	3500 SRW		
Driver Only				All	Manual	Automatic
8L63 Reg Cab	143.5"	6.7L TD Diesel	6,000	Available	Available	12,000
8L63 Reg Cab	143.5"	6.7L TD Diesel	6,000	Available	Available	11,600
8L63 Reg Cab	143.5"	6.4L HD HEMI	5,500		Available	11,000
8L63 Reg Cab	143.5"	6.4L HD HEMI	5,500		Available	10,700
8L93 Crew Cab	172.4"	6.7L TD Diesel	6,000	Available	Available	12,000
8L93 Crew Cab	172.4"	6.7L TD Diesel	6,000	Available	Available	11,600
8L93 Crew Cab	172.4"	6.4L HD HEMI	5,500		Available	11,000
8L93 Crew Cab	172.4"	6.4L HD HEMI	5,500		Available	10,700

**NOTE:**

1. Minimum 700lb blade weight considered for plow availability.
2. Snowplow calculations are based upon maximum options, except for DRW Diesel vehicles.
3. N/R = Not Recommended for snowplow application.
4. SRW = Single Rear Wheel
5. DRW = Dual Rear Wheel
6. Single passenger weight = 150 lbs. (Driver Only).

**NOTE:**

Many DRW models may require in excess of 1,000 lbs. of ballast behind the rear axle to ensure that the front axle is within GAWR. The GVWs, GAWRs, and base weights are provided in the technical information section to allow calculation of the appropriate ballast. Front and Rear GAWR should never be exceeded for all models with passengers and optional equipment.

## Snowplow Package (AHD) Availability on 2016 DF RAM Models

**J1**

### ST Model

4X4 Chassis Cab			FGAWR All	3500 SRW		
Driver Only				Manual	Automatic	GVWR
8L63 Reg Cab	143.5"	6.7L TD Diesel	6,000	Available	Available	10,000
8L63 Reg Cab	143.5"	6.4L HD HEMI	5,500		Available	10,000
8L93 Crew Cab	172.4"	6.7L TD Diesel	6,000	Available	Available	10,000
8L93 Crew Cab	172.4"	6.4L HD HEMI	5,500		Available	10,000

**NOTE:**

1. Minimum 700lb blade weight considered for plow availability.
2. Snowplow calculations are based upon maximum options, except for DRW Diesel vehicles.
3. N/R = Not Recommended for snowplow application.
4. SRW = Single Rear Wheel
5. DRW = Dual Rear Wheel
6. Single passenger weight = 150 lbs. (Driver Only).

**SNOW PLOW ASSUMPTIONS:**

Single fuel tank in rear (52) Gallons.  
 1680 lbs Minimum Cargo Bed Weight.  
 Standard 40/20/40 Vinyl Bench seat.  
 1000 lbs. Test Ballast for SRW.  
 2200 lbs. Test Ballast for DRW.  
 >100 lbs free for cargo

**NOTE:**

Many DRW models may require in excess of 1,000 lbs. of ballast behind the rear axle to ensure that the front axle is within GAWR. The GVWs, GAWRs, and base weights are provided in the technical information section to allow calculation of the appropriate ballast. Front and Rear GAWR should never be exceeded for all models with passengers and optional equipment.

## Snowplow Package (AHD) Availability on 2016 DP RAM Trucks

### ST Model

4X2 Chassis Cab			FGAWR All	4500 DRW ST Models		
Driver Only				Manual	Automatic	GVWR
4L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	16,500
4L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	16,000
4L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	15,000
4L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	16,500
4L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	16,000
4L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	15,000
4L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	16,500
4L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	16,000
4L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	15,000
4L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	16,500
4L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	16,000
4L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	15,000
4L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	16,500
4L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	16,000
4L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	15,000
4L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	16,500
4L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	16,000
4L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	15,000

**NOTE:**

1. Minimum 800lb blade weight considered for plow availability.
2. Snowplow calculations are based upon maximum options.
3. N/R = Not Recommended for snowplow application.
4. DRW = Dual Rear Wheels.
5. Single passenger weight = 150 lbs. (Driver Only).

### ST Model

4X4 Chassis Cab			FGAWR All	4500 DRW ST Models		
Driver Only				Manual	Automatic	GVWR
9L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	16,500
9L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	16,000
9L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	15,000
9L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	16,500
9L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	16,000
9L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	15,000
9L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	16,500
9L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	16,000
9L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	15,000
9L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	16,500
9L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	16,000
9L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	15,000
9L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	16,500
9L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	16,000
9L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	15,000
9L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	16,500
9L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	16,000
9L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	15,000

**NOTE:**

Many models may require in excess of 1,000 lbs. of ballast behind the rear axle to ensure that the front axle is within GAWR. The GVWs, GAWRs, and base weights are provided in the technical information section to allow calculation of the appropriate ballast. Front and Rear GAWR should not be exceeded for all models with passengers and optional equipment

## Snowplow Package (AHD) Availability on 2016 DP RAM Trucks

### ST Model

4X2 Chassis Cab			FGAWR All	5500 DRW ST Models		
Driver Only				Manual	Automatic	GVWR
5L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	19,000
5L93 Crew Cab	173.5"	6.7L TD Diesel	7,250		Available	18,000
5L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	19,500
5L94 Crew Cab	197.5"	6.7L TD Diesel	7,250		Available	18,000
5L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	19,000
5L63 Reg Cab	144.5"	6.7L TD Diesel	7,250		Available	18,000
5L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	19,500
5L64 Reg Cab	168.5"	6.7L TD Diesel	7,250		Available	18,000
5L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	19,500
5L65 Reg Cab	192.5"	6.7L TD Diesel	7,250		Available	18,000
5L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	19,500
5L66 Reg Cab	204.5"	6.7L TD Diesel	7,250		Available	18,000

**NOTE:**

1. Minimum 800lb blade weight considered for plow availability.
2. Snowplow calculations are based upon maximum options.
3. N/R = Not Recommended for snowplow application.
4. DRW = Dual Rear Wheels.
5. Single passenger weight = 150 lbs. (Driver Only).

### ST Model

4X4 Chassis Cab			FGAWR All	5500 DRW ST Models		
Driver Only				Manual	Automatic	GVWR
0L93 Crew Cab	173.5"	6.7L TD Diesel	7,250	Available	Available	19,000
0L93 Crew Cab	173.5"	6.7L TD Diesel	7,250		Available	18,000
0L94 Crew Cab	197.5"	6.7L TD Diesel	7,250	Available	Available	19,500
0L94 Crew Cab	197.5"	6.7L TD Diesel	7,250		Available	18,000
0L63 Reg Cab	144.5"	6.7L TD Diesel	7,250	Available	Available	19,000
0L63 Reg Cab	144.5"	6.7L TD Diesel	7,250		Available	18,000
0L64 Reg Cab	168.5"	6.7L TD Diesel	7,250	Available	Available	19,500
0L64 Reg Cab	168.5"	6.7L TD Diesel	7,250		Available	18,000
0L65 Reg Cab	192.5"	6.7L TD Diesel	7,250	Available	Available	19,500
0L65 Reg Cab	192.5"	6.7L TD Diesel	7,250		Available	18,000
0L66 Reg Cab	204.5"	6.7L TD Diesel	7,250	Available	Available	19,500
0L66 Reg Cab	204.5"	6.7L TD Diesel	7,250		Available	18,000

**NOTE:**

Many models may require in excess of 1,000 lbs. of ballast behind the rear axle to ensure that the front axle is within GAWR. The GVWs, GAWRs, and base weights are provided in the technical information section to allow calculation of the appropriate ballast. Front and Rear GAWR should not be exceeded for all models with passengers and optional equipment

## Snowplow Package (AHD) Availability on 2016 DP RAM Trucks

### ST Model

4X2 Chassis Cab			FGAWR All	4500 DRW ST Models	
Driver Only				Automatic	GVWR
4L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	16,500
4L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	16,000
4L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	15,000
4L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	16,500
4L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	16,000
4L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	15,000
4L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	16,500
4L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	16,000
4L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	15,000
4L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	16,500
4L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	16,000
4L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	15,000
4L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	16,500
4L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	16,000
4L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	15,000
4L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	16,500
4L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	16,000
4L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	15,000

**NOTE:**

1. Minimum 800lb blade weight considered for plow availability.
2. Snowplow calculations are based upon maximum options.
3. N/R = Not Recommended for snowplow application.
4. DRW = Dual Rear Wheels.
5. Single passenger weight = 150 lbs. (Driver Only).

### ST Model

4X4 Chassis Cab			FGAWR All	4500 DRW ST Models	
Driver Only				Automatic	GVWR
9L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	16,500
9L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	16,000
9L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	15,000
9L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	16,500
9L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	16,000
9L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	15,000
9L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	16,500
9L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	16,000
9L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	15,000
9L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	16,500
9L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	16,000
9L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	15,000
9L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	16,500
9L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	16,000
9L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	15,000
9L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	16,500
9L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	16,000
9L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	15,000

**NOTE:**

Many models may require in excess of 1,000 lbs. of ballast behind the rear axle to ensure that the front axle is within GAWR. The GVWs, GAWRs, and base weights are provided in the technical information section to allow calculation of the appropriate ballast. Front and Rear GAWR should not be exceeded for all models with passengers and optional equipment

## Snowplow Package (AHD) Availability on 2016 DP RAM Trucks

**ST Model**

4X2 Chassis Cab			FGAWR All	5500 DRW ST Models	
Driver Only				Automatic	GVWR
5L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	19,000
5L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	18,000
5L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	19,500
5L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	18,000
5L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	19,000
5L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	18,000
5L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	19,500
5L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	18,000
5L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	19,500
5L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	18,000
5L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	19,500
5L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	18,000

**NOTE:**

1. Minimum 800lb blade weight considered for plow availability.
2. Snowplow calculations are based upon maximum options.
3. N/R = Not Recommended for snowplow application.
4. DRW = Dual Rear Wheels.
5. Single passenger weight = 150 lbs. (Driver Only).

**ST Model**

4X4 Chassis Cab			FGAWR All	5500 DRW ST Models	
Driver Only				Automatic	GVWR
0L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	19,000
0L93 Crew Cab	173.5"	6.4L HD Hemi	7,000	Available	18,000
0L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	19,500
0L94 Crew Cab	197.5"	6.4L HD Hemi	7,000	Available	18,000
0L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	19,000
0L63 Reg Cab	144.5"	6.4L HD Hemi	6,500	Available	18,000
0L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	19,500
0L64 Reg Cab	168.5"	6.4L HD Hemi	6,500	Available	18,000
0L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	19,500
0L65 Reg Cab	192.5"	6.4L HD Hemi	7,000	Available	18,000
0L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	19,500
0L66 Reg Cab	204.5"	6.4L HD Hemi	7,000	Available	18,000

**NOTE:**

Many models may require in excess of 1,000 lbs. of ballast behind the rear axle to ensure that the front axle is within GAWR. The GVWs, GAWRs, and base weights are provided in the technical information section to allow calculation of the appropriate ballast. Front and Rear GAWR should not be exceeded for all models with passengers and optional equipment