



	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2	<b>REGULAR CAB 4x2 TRADESMAN W BOX 8'0" SRW</b>											
	6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	11,500	4,490	7,005	4,283	2,722	5,500	7,000	34,630	26,830
	<b>REGULAR CAB 4x2 TRADESMAN W BOX 8'0" DRW</b>											
	6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	14,000	6,570	7,433	4,322	3,111	5,500	9,750	41,600	33,700
	6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	4.10	14,000	6,570	7,433	4,322	3,111	5,500	9,750	45,000	37,100
	<b>CREW CAB 4x2 TRADESMAN W RAMBOX 6'4" SRW</b>											
	6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	11,500	3,950	7,553	4,485	3,068	5,500	7,000	32,240	23,180
	<b>CREW CAB 4x2 TRADESMAN W BOX 6'4" SRW</b>											
	6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	11,500	4,090	7,408	4,463	2,945	5,500	7,000	32,240	24,150
	<b>CREW CAB 4x2 TRADESMAN W BOX 8'0" SRW</b>											
	6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	12,000	4,450	7,552	4,609	2,943	5,500	7,000	33,670	25,560
	<b>CREW CAB 4x2 TRADESMAN W BOX 8'0" DRW</b>											
6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	14,000	5,940	8,059	4,686	3,373	5,500	9,750	41,600	33,070	
6.7L I6 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	4.10	14,000	5,940	8,059	4,686	3,373	5,500	9,750	43,000	34,470	

**2021 Ram 3500 (D2) 6.7L HO Base Weight GCW Trailer Tow**



	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x4	<b>MEGA CAB 4x4 BIG HORN W BOX 6'4" SRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	12,300	4,140	8,158	5,006	3,152	6,000	7,000	32,710	24,080
	<b>MEGA CAB 4x4 BIG HORN W BOX 6'4" DRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	14,000	5,450	8,550	5,014	3,536	6,000	9,750	41,600	32,580
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	4.10	14,000	5,450	8,550	5,014	3,536	6,000	9,750	43,000	33,200
	<b>MEGA CAB 4x4 BIG HORN W RAMBOX 6'4" SRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	12,300	3,980	8,319	5,042	3,277	6,000	7,000	32,710	23,300
	<b>REGULAR CAB 4x4 TRADESMAN W BOX 8'0" DRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	14,000	6,130	7,873	4,693	3,181	6,000	9,750	41,600	33,260
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	4.10	14,000	6,130	7,873	4,693	3,181	6,000	9,750	43,000	34,660
	<b>REGULAR CAB 4x4 TRADESMAN W BOX 8'0" SRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	11,800	4,370	7,427	4,630	2,797	6,000	7,000	34,540	26,020
	<b>CREW CAB 4x4 TRADESMAN W RAMBOX 6'4" SRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	11,800	3,880	7,919	4,797	3,122	6,000	7,000	32,580	23,000
	<b>CREW CAB 4x4 TRADESMAN W BOX 6'4" SRW</b>											
	6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	11,800	4,020	7,783	4,800	2,983	6,000	7,000	32,580	23,650
<b>CREW CAB 4x4 TRADESMAN W BOX 8'0" SRW</b>												
6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	12,300	4,330	7,967	4,957	3,010	6,000	7,000	33,610	25,120	
<b>CREW CAB 4x4 TRADESMAN W BOX 8'0" DRW</b>												
6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	3.73	14,000	5,590	8,413	4,989	3,424	6,000	9,750	41,600	32,720	
6.7L 16 CUMMINS HO DIESEL	6 SPD AUTO AISIN AS69RC	4.10	14,000	5,590	8,413	4,989	3,424	6,000	9,750	43,000	34,120	

**2021 Ram 3500 (D2) 6.7L HO Base Weight GCW Trailer Tow**



	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		

<b>Notes</b>	<p>1. Payload and Max Trailer Weights are ESTIMATED values.</p> <p>2. All values are shown in pounds unless otherwise stated.</p> <p>3. Payload and Max Trailer Weight values are rounded to the nearest 10lb.</p> <p>4. Payload = GVWR – Base Weight</p> <p>5. Payload and Trailer Weight Rating are mutually exclusive.</p> <p>6. GAWRs, GVWRs and GCWRs should never be exceeded.</p> <p>7. Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807.            Passenger Weight = 300 lb            Options Weight = 100 lb            Trailing Equipment Weight: 75 lb for Conventional Hitch, 70 lb for Gooseneck and 250 lb for 5th Wheel.            Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for a 5th Wheel or Gooseneck hitch.            Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailing equipment and tongue weight.            Box Off Body Completion Weight = 80 lb per foot from end of cab to end of fram</p> <p>8. A fifth-wheel hitch is required for trailers over 23,000 lbs.</p> <p>9. A Gooseneck hitch is required for trailers over 30,000 lbs.</p> <p>10. Maximum Capability</p>											
--------------	--	--	--	--	--	--	--	--	--	--	--	--

**2021 Ram 3500 (D2) 6.7L HO Base Weight GCW Trailer Tow**