

## RAM CAMPER GUIDE

2016

Consumer Information

RAM Trucks for

Camper Application

Under the authority of the National Traffic and Motor Vehicle Safety Act, the National Highway Traffic Safety Administration (NHTSA) has established certain requirements concerning trucks capable of accommodating slide-in campers. Manufactures of such trucks are required to provide, "...the cargo weight rating and the longitudinal limits within which the center of gravity should be located."

This booklet is a compilation of that data. It is designed for the use and guidance of prospective purchasers who intend to use RAM light-duty pickup trucks to carry slide-in campers and related equipment.

Because conditions of improper load distribution or overloading can have adverse effects on vehicle steering and braking ... possibly resulting in accidents ... knowledge of the cargo weight rating and location of the center of gravity should be important factors to the prospective purchaser of any truck-camper combination.

In keeping with governmental requirements, this information must be maintained in truck dealerships and must be made available to all prospective purchasers who request it. If it becomes necessary to revise this information during a model year, dealers are responsible for making such revisions available to the public.


FCA Group

EXCLUSIONS:

All RAM 2500 Power Wagon Models

# Ram Camper Guide

## CONSUMER INFORMATION: TRUCK-CAMPER LOADING



**CG ZONE (SHADED AREA):**  
**RECOMMENDED LOCATION FOR CARGO CENTER**  
**OF GRAVITY FOR CARGO WEIGHT RATING** 81715e9b

The tables on the following pages designate the Cargo Weight Rating and the Center of Gravity Zone for each vehicle listed.

- CARGO WEIGHT RATING (CWR) for a given truck model is the cargo capacity, in pounds, excluding the weight of occupants in the cab of the vehicle.
- CENTER OF GRAVITY (CG) ZONE is the area BETWEEN the forward limit dimension "A", and the rearward limit dimension "B" ... both measured in inches from the rear end of the truck bed or pickup box (see illustration above).

### USING THE TABLES:

- At the top of each page are descriptions of the truck models; wheelbase; type of cab; size of pickup box; style of seats; and the gross vehicle weight rating (GVWR) applicable to the truck.
- Sub-headings classify the CWR and CG zone dimensions based on engine types available. Under the "options" column, items of optional equipment (related to the vehicle's intended use) are listed in various combinations, indicating their influence on CWR figures.
- When reading the tables, you will notice that, as more optional equipment is added to the base vehicle (reading down from line 1 to line 8), the CWR is decreased due to the additional weight of the options. At the same time, the size of the CG zone changes due to the LOCATION of the added weight.

### INSTALLING THE CAMPER:

- The center of gravity (CG) of the loaded camper, as determined and marked by the camper manufacturer, must fall within the CG zone of the truck (see illustration above).
- The total weight of the fully-equipped camper, furnished by the camper manufacturer, should not exceed the CWR of the truck. After the camper and auxiliary equipment is installed, proper loading should be verified on an accurate truck scale before putting the vehicle into service.
- Be sure the gross vehicle weight rating (GVWR) of the truck is not exceeded and that the loading on front and rear axle systems does not exceed their respective gross axle weight ratings (GAWR).

NOTE: GVWR and GAWR data for the truck appears on the Safety Certification label, located on the door-latch post, on the driver's side.

2016 RAM 2500 CAMPER GUIDE

MODEL			ENGINE	GVWR	SEATS	DIM A		DIM B		REMAINING CARGO (lbs)	NOTES	
						IN	CM	IN	CM			
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	27.02	68.631	3277.1	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	31.44	79.858	3431.8	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	3194.7	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	27.04	68.682	3336.2	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2238.7	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2474.9	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	2137.3	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	2373.5	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bench	75	190.5	25	63.5	2345.2	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	2486.7	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	1939.4	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2093.0	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	1837.9	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1991.5	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	65.3	165.86	25	63.5	1033.2	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1250.4	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bench	67.8	172.21	25	63.5	931.7	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1149.0	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bench	75	190.5	25	63.5	973.0	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1126.6	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2245.6	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2397.0	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	2144.2	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	2295.6	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	1313.5	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1524.0	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	1212.1	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1422.5	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bench	75	190.5	25	63.5	1317.4	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1468.7	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2076.0	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2223.2	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	1974.6	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	2121.8	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	67.87	172.39	25	63.5	1147.8	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1358.0	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	1115.6	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1258.9	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bench	75	190.5	25	63.5	1124.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1271.2	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	50.85	129.16	3385.7	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	28.55	72.517	3323.3	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	28.75	73.025	3331.3	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	46.76	118.77	3285.7	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	3223.3	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	3231.3	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2389.2	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2326.8	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2334.8	
2500	4X2	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	2289.2	



2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1509.6	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bench	75	190.5	25	63.5	2045.7	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2197.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bench	75	190.5	25	63.5	1945.7	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	2097.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bench	64.81	164.62	25	63.5	1129.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1343.6	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bench	67	170.18	25	63.5	1029.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1243.6	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bench	75	190.5	25	63.5	1113.3	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1264.7	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2083.2	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1982.9	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1179.4	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1079.4	
2500	4X2	160.5 in. WB	Mega Cab, 6.4 Foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1131.6	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2332.3	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	2232.3	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1441.3	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1341.3	
2500	4X2	149.5 in. WB	Crew Cab Short, 6.4 Foot box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1421.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	2129.5	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	2029.5	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2D-010000	Bucket	75	190.5	25	63.5	1231.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z2H-09900	Bucket	75	190.5	25	63.5	1131.1	
2500	4X2	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z2C-09000	Bucket	75	190.5	25	63.5	1197.1	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	2789.9	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7F-010000	Bucket	75	190.5	25	63.5	2931.3	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	2789.9	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	2638.4	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	2779.9	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	2638.4	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	1772.1	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bucket	75	190.5	25	63.5	1992.5	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	1772.1	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	1670.7	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	1891.0	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	1820.7	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	5.7L V8 HEMI Gas Engine	Z7C-09000	Bench	75	190.5	25	63.5	1816.8	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	5.7L V8 HEMI Gas Engine	Z7C-09000	Bucket	75	190.5	25	63.5	1958.3	
2500	4X4	140.5 in. WB	Reg Cab, 8 Foot Box	5.7L V8 HEMI Gas Engine	Z7C-09000	Bench	75	190.5	25	63.5	1813.7	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	1512.4	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7F-010000	Bucket	75	190.5	25	63.5	1666.0	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	1512.4	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	1410.9	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	1564.5	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	1410.9	
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	591.9	*CAMPER NOT RECOMMENDED
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bucket	75	190.5	25	63.5	809.3	*CAMPER NOT RECOMMENDED
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bench	75	190.5	25	63.5	591.9	*CAMPER NOT RECOMMENDED
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	490.4	*CAMPER NOT RECOMMENDED
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	707.8	*CAMPER NOT RECOMMENDED
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bench	75	190.5	25	63.5	490.4	*CAMPER NOT RECOMMENDED
2500	4X4	160.5 in. WB	Mega Cab, 6.4 Foot Box	5.7L V8 HEMI Gas Engine	Z7C-09000	Bench	75	190.5	25	63.5	576.7	*CAMPER NOT RECOMMENDED









2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.4L V8 MID DUTY HEMI MDS ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	1572.3	
2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bucket	75	190.5	25	63.5	809.9	*CAMPER NOT RECOMMENDED
2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7F-010000	Bucket	75	190.5	25	63.5	809.9	*CAMPER NOT RECOMMENDED
2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	709.9	*CAMPER NOT RECOMMENDED
2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	6.7L I6 CUMMINS TURBO DIESEL ENGINE	Z7H-09900	Bucket	75	190.5	25	63.5	709.9	*CAMPER NOT RECOMMENDED
2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z7C-09000	Bucket	75	190.5	25	63.5	732.7	*CAMPER NOT RECOMMENDED
2500	4X4	169.5 in. WB	Crew Cab, Long, 8 foot Box	5.7L V8 HEMI Gas Engine	Z7C-09000	Bucket	75	190.5	25	63.5	729.6	*CAMPER NOT RECOMMENDED





3500	4X4	Longhorn, Laramie Limited	Mega Cab 6'4" Box	6.7L DIE	Z8H-012300	Bucket	63.6	161.5	25.0	63.5	2967
3500	4X4	Longhorn, Laramie Limited	Mega Cab 6'4" Box	6.7L DIE	Z8M-014000	Bucket	57.0	144.8	25.0	63.5	4407
3500	4X4	Longhorn, Laramie Limited	Mega Cab 6'4" Box	5.7L V8	Z8J-011300	Bucket	75.0	190.5	25.0	63.5	3167
3500	4X4	Longhorn, Laramie Limited	Crew Cab 6'4" Box	6.4L DIE	Z8Q-010800	Bucket	75.0	190.5	25.0	63.5	2787
3500	4X4	Longhorn, Laramie Limited	Crew Cab 6'4" Box	6.7L DIE	Z8K-011700	Bucket	74.4	189.1	25.0	63.5	2696
3500	4X4	Longhorn, Laramie Limited	Crew Cab 6'4" Box	5.7L V8	Z8C-010700	Bucket	75.0	190.5	25.0	63.5	2790
3500	4X4	Longhorn, Laramie Limited	Crew Cab 8' Box	6.4L DIE	Z8M-014000	Bucket	67.9	172.4	28.0	71.1	5496
3500	4X4	Longhorn, Laramie Limited	Crew Cab 8' Box	6.4L DIE	Z8R-011400	Bucket	75.0	190.5	26.0	65.9	3241
3500	4X4	Longhorn, Laramie Limited	Crew Cab 8' Box	6.4L DIE	Z8T-013300	Bucket	71.6	181.9	25.0	63.5	4796
3500	4X4	Longhorn, Laramie Limited	Crew Cab 8' Box	6.7L DIE	Z8H-012300	Bucket	62.2	158.0	25.0	63.5	3074
3500	4X4	Longhorn, Laramie Limited	Crew Cab 8' Box	6.7L DIE	Z8M-014000	Bucket	57.3	145.6	25.0	63.5	4497
3501	4X4	Longhorn, Laramie Limited	Crew Cab 8' Box	5.7L V8	Z8J-011300	Bucket	75.0	190.5	25.0	63.5	3160