

2021 Ram 3500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		VECI Label		UVW	Max Upfit Weight	GCWR	Max Trailer
						Total	Front	Rear	Front	Rear	MCVW	Frontal Area (ft)				
US Market	REGULAR CAB - CA 60" - 4X2 - SRW															
	6.4L V8 HEMI	8HP75	4.10	10,000	4,230	5,770	3,526	2,244	5,500	6,800	8,500	58	8,000	2,230	24,000	18,080
	REGULAR CAB - CA 60" - 4X4 - SRW															
	6.4L V8 HEMI	8HP75	4.10	10,000	3,990	6,013	3,732	2,281	5,500	6,800	8,500	58	8,000	1,987	24,000	17,840
	CREW CAB - CA 60" - 4X2 - SRW															
	6.4L V8 HEMI	8HP75	4.10	10,000	3,790	6,210	3,692	2,518	5,500	6,800	8,500	58	8,000	1,790	24,000	17,640
Canadian Market	REGULAR CAB - CA 60" - 4X2 - SRW															
	6.4L V8 HEMI	8HP75	4.10	9,900	4,130	5,770	3,526	2,244	5,500	6,800	8,500	58	8,000	2,230	24,000	17,050
	REGULAR CAB - CA 60" - 4X4 - SRW															
	6.4L V8 HEMI	8HP75	4.10	9,900	3,890	6,013	3,732	2,281	5,500	6,800	8,500	58	8,000	1,987	24,000	17,050
	CREW CAB - CA 60" - 4X2 - SRW															
	6.4L V8 HEMI	8HP75	4.10	9,900	3,690	6,210	3,692	2,518	5,500	6,800	8,500	58	8,000	1,790	24,000	17,050
Notes	CREW CAB - CA 60" - 4X4 - SRW															
	6.4L V8 HEMI	8HP75	4.10	9,900	3,370	6,529	3,950	2,579	5,500	6,800	8,500	58	8,000	1,471	24,000	17,050
	Payload and Max Trailer Weights are ESTIMATED values Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4 AND Market) All values are shown in pounds unless otherwise stated Payload and Max Trailer Weight values are rounded to the nearest 10 lbs Payload = GVWR - Base Weight GAWRs, GVWRs, and GCWRs should never be exceeded Recommended tongue weight determined by class hitch receiver and hardware limits of upfit Upfit or Aftermarket equipment weight not included in Base Weight MCVW: Maximum Completed Vehicle Weight, includes Total Base Weight + permanently attached Upfit Weight Frontal Area: Maximum allowable Frontal Area, in Ft ² , that the vehicle can project. For details on calculations please refer to Ram Body Builders Guide. If VECI Label & Max Upfit Weight n/a: Vehicle is not restricted to MCVW, Frontal Area, or Maximum Upfit Weight limits, however GVWR/GAWR/GCWR cannot be exceeded.															

2021 Ram 3500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		VECI Label		Max Upfit Weight	GCWR	Max Trailer
						Total	Front	Rear	Front	Rear	MCVW	Frontal Area (ft ²)			
4x2	REGULAR CAB - CA 60" - 4X2 - SRW														
	6.4L V8 HEMI	8HP75	4.10	10,700	4,930	5,770	3,526	2,244	5,500	6,800	10,000	80	4,230	22,000	16,080
	6.4L V8 HEMI	A6 AS66RC	4.44	10,700	4,800	5,900	3,636	2,264	5,500	6,800	n/a	n/a	n/a	25,000	18,950
	REGULAR CAB - CA 60" - 4X2 - DRW														
	6.4L V8 HEMI	8HP75	4.10	13,500	7,380	6,116	3,548	2,568	5,500	9,850	10,000	80	3,884	22,000	15,730
	6.4L V8 HEMI	A6 AS66RC	4.44	14,000	7,750	6,246	3,658	2,588	5,500	9,850	n/a	n/a	n/a	25,000	18,600
	REGULAR CAB - CA 84" - 4X2 - DRW														
	6.4L V8 HEMI	8HP75	4.10	13,500	7,300	6,202	3,644	2,558	5,500	9,850	10,000	80	3,798	22,000	15,650
	6.4L V8 HEMI	A6 AS66RC	4.44	14,000	7,670	6,332	3,754	2,578	5,500	9,850	n/a	n/a	n/a	25,000	18,520
	CREW CAB - CA 60" - 4X2 - SRW														
	6.4L V8 HEMI	8HP75	4.10	10,700	4,490	6,210	3,692	2,518	5,500	6,800	10,000	80	3,790	22,000	15,640
	6.4L V8 HEMI	A6 AS66RC	4.44	10,700	4,360	6,340	3,802	2,538	5,500	6,800	n/a	n/a	n/a	25,000	18,510
	CREW CAB - CA 60" - 4X2 - DRW														
	6.4L V8 HEMI	8HP75	4.10	13,500	6,910	6,594	3,743	2,851	5,500	9,850	10,000	80	3,406	22,000	15,260
6.4L V8 HEMI	A6 AS66RC	4.44	14,000	7,270	6,726	3,853	2,873	5,500	9,850	n/a	n/a	n/a	25,000	18,120	
4x4	REGULAR CAB - CA 60" - 4X4 - SRW														
	6.4L V8 HEMI	8HP75	4.10	11,000	4,990	6,013	3,732	2,281	5,500	6,800	10,000	80	3,987	22,000	15,840
	6.4L V8 HEMI	A6 AS66RC	4.44	11,000	4,860	6,143	3,842	2,301	5,500	6,800	n/a	n/a	n/a	25,000	18,710
	REGULAR CAB - CA 60" - 4X4 - DRW														
	6.4L V8 HEMI	8HP75	4.10	13,500	7,150	6,353	3,752	2,601	5,500	9,850	10,000	80	3,647	22,000	15,500
	6.4L V8 HEMI	A6 AS66RC	4.44	14,000	7,520	6,483	3,862	2,621	5,500	9,850	n/a	n/a	n/a	25,000	18,370
	REGULAR CAB - CA 84" - 4X4 - DRW														
	6.4L V8 HEMI	8HP75	4.10	13,500	7,020	6,485	3,880	2,605	5,500	9,850	10,000	80	3,515	22,000	15,370
	6.4L V8 HEMI	A6 AS66RC	4.44	14,000	7,390	6,615	3,990	2,625	5,500	9,850	n/a	n/a	n/a	25,000	18,240
	CREW CAB - CA 60" - 4X4 - SRW														
	6.4L V8 HEMI	8HP75	4.10	11,000	4,470	6,529	3,950	2,579	5,500	6,800	10,000	80	3,471	22,000	15,320
	6.4L V8 HEMI	A6 AS66RC	4.44	11,000	4,340	6,659	4,060	2,599	5,500	6,800	n/a	n/a	n/a	25,000	18,190
	CREW CAB - CA 60" - 4X4 - DRW														
	6.4L V8 HEMI	8HP75	4.10	13,500	6,630	6,869	3,970	2,899	5,500	9,850	10,000	80	3,131	22,000	14,980
6.4L V8 HEMI	A6 AS66RC	4.44	14,000	7,000	6,999	4,080	2,919	5,500	9,850	n/a	n/a	n/a	25,000	17,850	
Notes	Payload and Max Trailer Weights are ESTIMATED values ■ Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4) All values are shown in pounds unless otherwise stated Payload and Max Trailer Weight values are rounded to the nearest 10 lbs Payload = GVWR - Base Weight GAWRs, GVWRs, and GCWRs should never be exceeded Recommended tongue weight determined by class hitch receiver and hardware limits of upfit Upfit or Aftermarket equipment weight not included in Base Weight MCVW: Maximum Completed Vehicle Weight, includes Total Base Weight + permanently attached Upfit Weight Frontal Area: Maximum allowable Frontal Area, in Ft ² , that the vehicle can project. For details on calculations please refer to Ram Body Builders Guide. If VECI Label & Max Upfit Weight n/a: Vehicle is not restricted to MCVW, Frontal Area, or Maximum Upfit Weight limits, however GVWR/GAWR/GCWR cannot be exceeded.														

2021 Ram 3500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2	REGULAR CAB - CA 60" - 4X2 - SRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	11,600	4,990	6,614	4,266	2,348	6,000	6,800	25,000	18,240
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	11,600	4,990	6,614	4,266	2,348	6,000	6,800	27,500	20,740
	REGULAR CAB - CA 60" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	14,000	7,040	6,960	4,268	2,692	6,000	9,850	31,000	23,890
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	14,000	7,040	6,960	4,268	2,692	6,000	9,850	33,000	25,890
	REGULAR CAB - CA 84" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	14,000	6,950	7,046	4,364	2,682	6,000	9,850	31,000	23,800
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	14,000	6,950	7,046	4,364	2,682	6,000	9,850	33,000	25,800
	CREW CAB - CA 60" - 4X2 - SRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	11,600	4,550	7,054	4,412	2,642	6,000	6,800	25,000	17,800
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	11,600	4,550	7,054	4,412	2,642	6,000	6,800	27,500	20,300
	CREW CAB - CA 60" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	14,000	6,560	7,438	4,463	2,975	6,000	9,850	31,000	23,410
6.7L CUMMINS DIESEL	A6 AS69RC	4.10	14,000	6,560	7,438	4,463	2,975	6,000	9,850	33,000	25,410	
4x4	REGULAR CAB - CA 60" - 4X4 - SRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	12,000	5,140	6,857	4,452	2,405	6,000	6,800	25,000	17,990
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	12,000	5,140	6,857	4,452	2,405	6,000	6,800	27,500	20,490
	REGULAR CAB - CA 60" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	14,000	6,800	7,203	4,481	2,722	6,000	9,850	31,000	23,650
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	14,000	6,800	7,203	4,481	2,722	6,000	9,850	33,000	25,650
	REGULAR CAB - CA 84" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	14,000	6,670	7,329	4,600	2,729	6,000	9,850	31,000	23,520
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	14,000	6,670	7,329	4,600	2,729	6,000	9,850	33,000	25,520
	CREW CAB - CA 60" - 4X4 - SRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	12,000	4,630	7,373	4,670	2,703	6,000	6,800	25,000	17,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	12,000	4,630	7,373	4,670	2,703	6,000	6,800	27,500	19,980
	CREW CAB - CA 60" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	3.73	14,000	6,280	7,723	4,701	3,022	6,000	9,850	31,000	23,130
6.7L CUMMINS DIESEL	A6 AS69RC	4.10	14,000	6,280	7,723	4,701	3,022	6,000	9,850	33,000	25,130	
Notes	Payload and Max Trailer Weights are ESTIMATED values Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4)											
	All values are shown in pounds unless otherwise stated											
	Payload and Max Trailer Weight values are rounded to the nearest 10 lbs											
	Payload = GVWR - Base Weight											
	GAWRs, GVWRs, and GCWRs should never be exceeded											
	Recommended tongue weight determined by class hitch receiver and hardware limits of upfit											
	Upfit or Aftermarket equipment weight not included in Base Weight											

2021 Ram 4500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2	REGULAR CAB - CA 60" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	8,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	8,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	9,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	9,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,690	6,808	3,770	3,038	6,000	12,000	26,000	19,040
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,690	6,808	3,770	3,038	6,000	12,000	28,500	21,540
	REGULAR CAB - CA 84" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	8,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	8,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	9,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	9,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,530	6,973	3,880	3,093	6,000	12,000	26,000	18,880
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,530	6,973	3,880	3,093	6,000	12,000	28,500	21,380
	REGULAR CAB - CA 108" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,380	7,121	3,954	3,167	6,500	12,000	26,000	18,730
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,380	7,121	3,954	3,167	6,500	12,000	28,500	21,230
	REGULAR CAB - CA 120" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,240	7,261	4,024	3,237	6,500	12,000	26,000	18,590
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,240	7,261	4,024	3,237	6,500	12,000	28,500	21,090
	CREW CAB - CA 60" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,110	7,386	4,032	3,354	6,000	12,000	26,000	18,460
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,110	7,386	4,032	3,354	6,000	12,000	28,500	20,960

2021 Ram 4500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2 (cont.)	CREW CAB - CA 84" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,526	4,216	3,310	6,000	12,000	26,000	18,320
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,526	4,216	3,310	6,000	12,000	28,500	20,820
4x4	REGULAR CAB - CA 60" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,300	7,197	4,037	3,160	6,000	12,000	26,000	18,650
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,300	7,197	4,037	3,160	6,000	12,000	28,500	21,150
	REGULAR CAB - CA 84" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,150	7,349	4,208	3,141	6,000	12,000	26,000	18,500
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,150	7,349	4,208	3,141	6,000	12,000	28,500	21,000
	REGULAR CAB - CA 108" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	9,030	7,467	3,953	3,514	6,500	12,000	26,000	18,380
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	9,030	7,467	3,953	3,514	6,500	12,000	28,500	20,880
	REGULAR CAB - CA 120" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320	
6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820	
6.4L V8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,528	3,984	3,544	6,500	12,000	26,000	18,320	
6.4L V8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,528	3,984	3,544	6,500	12,000	28,500	20,820	

2021 Ram 4500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x4 (cont.)	CREW CAB - CA 60" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	8,760	7,739	4,340	3,399	6,000	12,000	26,000	18,110
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	8,760	7,739	4,340	3,399	6,000	12,000	28,500	20,610
	CREW CAB - CA 84" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	15,000	7,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
	6.4L V8 HEMI	A6 AS66RC	4.89	15,000	7,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
	6.4L V8 HEMI	A6 AS66RC	4.44	16,000	8,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
	6.4L V8 HEMI	A6 AS66RC	4.89	16,000	8,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
	6.4L V8 HEMI	A6 AS66RC	4.44	16,500	8,670	7,830	4,498	3,332	6,000	12,000	26,000	18,020
	6.4L V8 HEMI	A6 AS66RC	4.89	16,500	8,670	7,830	4,498	3,332	6,000	12,000	28,500	20,520
Notes	Payload and Max Trailer Weights are ESTIMATED values All values are shown in pounds unless otherwise stated Payload and Max Trailer Weight values are rounded to the nearest 10 lbs Payload = GVWR - Base Weight GAWRs, GVWRs, and GCWRs should never be exceeded Recommended tongue weight determined by class hitch receiver and hardware limits of upfit Upfit or Aftermarket equipment weight not included in Base Weight											

Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4)

2021 Ram 4500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2	REGULAR CAB - CA 60" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
	REGULAR CAB - CA 84" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
	REGULAR CAB - CA 108" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
	REGULAR CAB - CA 120" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	7,020	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	7,020	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	8,020	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	8,020	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,520	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,520	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
	CREW CAB - CA 60" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120

2021 Ram 4500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2 (cont.)	CREW CAB - CA 84" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
4x4	REGULAR CAB - CA 60" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
	REGULAR CAB - CA 84" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
	REGULAR CAB - CA 108" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
	REGULAR CAB - CA 120" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980

2021 Ram 4500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x4 (cont.)	CREW CAB - CA 60" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
	CREW CAB - CA 84" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
	6.7L CUMMINS DIESEL	A6 AS69RC	4.10	16,500	7,830	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	16,500	7,830	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
Notes	Payload and Max Trailer Weights are ESTIMATED values						Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4)					
All values are shown in pounds unless otherwise stated												
Payload and Max Trailer Weight values are rounded to the nearest 10 lbs												
Payload = GVWR - Base Weight												
GAWRs, GVWRs, and GCWRs should never be exceeded												
Recommended tongue weight determined by class hitch receiver and hardware limits of upfit												
Upfit or Aftermarket equipment weight not included in Base Weight												

2021 Ram 5500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2	REGULAR CAB - CA 60" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	11,140	6,862	3,750	3,112	6,000 / 6,500	13,500	26,000	18,990
	6.4L V8 HEMI	A6 AS66RC	4.89	19,000	12,140	6,862	3,750	3,112	6,000 / 6,500	13,500	28,500	21,490
	REGULAR CAB - CA 84" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	11,010	6,988	3,890	3,098	6,000 / 6,500	13,500	26,000	18,860
	6.4L V8 HEMI	A6 AS66RC	4.89	19,500	12,510	6,988	3,890	3,098	6,000 / 6,500	13,500	28,500	21,360
	REGULAR CAB - CA 108" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,840	7,160	4,031	3,129	6,500 / 7,000	13,500	26,000	18,690
	6.4L V8 HEMI	A6 AS66RC	4.89	19,500	12,340	7,160	4,031	3,129	6,500 / 7,000	13,500	28,500	21,190
	REGULAR CAB - CA 120" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,790	7,212	4,076	3,136	6,500 / 7,000	13,500	26,000	18,640
	6.4L V8 HEMI	A6 AS66RC	4.89	19,500	12,290	7,212	4,076	3,136	6,500 / 7,000	13,500	28,500	21,140
	CREW CAB - CA 60" - 4X2 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,369	4,033	3,336	6,000 / 7,000	13,500	26,000	18,480
	6.4L V8 HEMI	A6 AS66RC	4.89	19,000	11,630	7,369	4,033	3,336	6,000 / 7,000	13,500	28,500	20,980
	CREW CAB - CA 84" - 4X2 - DRW											
6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,440	7,562	4,211	3,351	6,000 / 7,000	13,500	26,000	18,290	
6.4L V8 HEMI	A6 AS66RC	4.89	19,500	11,940	7,562	4,211	3,351	6,000 / 7,000	13,500	28,500	20,790	
4x4	REGULAR CAB - CA 60" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,770	7,234	4,049	3,185	6,000 / 6,500	13,500	26,000	18,620
	6.4L V8 HEMI	A6 AS66RC	4.89	19,000	11,770	7,234	4,049	3,185	6,000 / 6,500	13,500	28,500	21,120
	REGULAR CAB - CA 84" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,366	4,215	3,151	6,000 / 6,500	13,500	26,000	18,480
	6.4L V8 HEMI	A6 AS66RC	4.89	19,500	12,130	7,366	4,215	3,151	6,000 / 6,500	13,500	28,500	20,980
	REGULAR CAB - CA 108" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,490	7,510	4,349	3,161	6,500 / 7,000	13,500	26,000	18,340
	6.4L V8 HEMI	A6 AS66RC	4.89	19,500	11,990	7,510	4,349	3,161	6,500 / 7,000	13,500	28,500	20,840
	REGULAR CAB - CA 120" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,410	7,588	4,410	3,178	6,500 / 7,000	13,500	26,000	18,260
	6.4L V8 HEMI	A6 AS66RC	4.89	19,500	11,910	7,588	4,410	3,178	6,500 / 7,000	13,500	28,500	20,760
	CREW CAB - CA 60" - 4X4 - DRW											
	6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,250	7,750	4,364	3,386	6,000 / 7,000	13,500	26,000	18,100
	6.4L V8 HEMI	A6 AS66RC	4.89	19,000	11,250	7,750	4,364	3,386	6,000 / 7,000	13,500	28,500	20,600
	CREW CAB - CA 84" - 4X4 - DRW											
6.4L V8 HEMI	A6 AS66RC	4.44	18,000	10,080	7,920	4,530	3,390	6,000 / 7,000	13,500	26,000	17,930	
6.4L V8 HEMI	A6 AS66RC	4.89	19,500	11,580	7,920	4,530	3,390	6,000 / 7,000	13,500	28,500	20,430	
Notes	Payload and Max Trailer Weights are ESTIMATED values Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4)											
	All values are shown in pounds unless otherwise stated											
	Payload and Max Trailer Weight values are rounded to the nearest 10 lbs											
	Payload = GVWR - Base Weight											
	GAWRs, GVWRs, and GCWRs should never be exceeded											
	Recommended tongue weight determined by class hitch receiver and hardware limits of upfit Upfit or Aftermarket equipment weight not included in Base Weight											

2021 Ram 5500 Chassis Cab Trailer Towing Chart

	Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
4x2	REGULAR CAB - CA 60" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,870	7,629	4,498	3,131	7,000 / 7,250	13,500	32,000	24,220
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,870	7,629	4,498	3,131	7,000 / 7,250	13,500	43,000	35,220
	REGULAR CAB - CA 84" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,750	7,754	4,568	3,186	7,000 / 7,250	13,500	32,000	24,100
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,750	7,754	4,568	3,186	7,000 / 7,250	13,500	43,000	35,100
	REGULAR CAB - CA 108" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,660	7,839	4,609	3,230	7,000 / 7,250	13,500	32,000	24,010
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,660	7,839	4,609	3,230	7,000 / 7,250	13,500	43,000	35,010
	REGULAR CAB - CA 120" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,570	7,929	4,654	3,275	7,000 / 7,250	13,500	32,000	23,920
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,570	7,929	4,654	3,275	7,000 / 7,250	13,500	43,000	34,920
	CREW CAB - CA 60" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,290	8,210	4,751	3,459	7,000 / 7,250	13,500	32,000	23,640
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,290	8,210	4,751	3,459	7,000 / 7,250	13,500	43,000	34,640
	CREW CAB - CA 84" - 4X2 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,100	8,403	4,929	3,474	7,000 / 7,250	13,500	32,000	23,450
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,100	8,403	4,929	3,474	7,000 / 7,250	13,500	43,000	34,450
4x4	REGULAR CAB - CA 60" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,450	8,047	4,748	3,299	7,000 / 7,250	13,500	32,000	23,800
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,450	8,047	4,748	3,299	7,000 / 7,250	13,500	43,000	34,800
	REGULAR CAB - CA 84" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,320	8,179	4,914	3,265	7,000 / 7,250	13,500	32,000	23,670
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,320	8,179	4,914	3,265	7,000 / 7,250	13,500	43,000	34,670
	REGULAR CAB - CA 108" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,180	8,323	5,048	3,275	7,000 / 7,250	13,500	32,000	23,530
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,180	8,323	5,048	3,275	7,000 / 7,250	13,500	43,000	34,530
	REGULAR CAB - CA 120" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	11,100	8,401	5,109	3,292	7,000 / 7,250	13,500	32,000	23,450
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	11,100	8,401	5,109	3,292	7,000 / 7,250	13,500	43,000	34,450
	CREW CAB - CA 60" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	10,940	8,563	5,063	3,500	7,000 / 7,250	13,500	32,000	23,290
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	10,940	8,563	5,063	3,500	7,000 / 7,250	13,500	43,000	34,290
	CREW CAB - CA 84" - 4X4 - DRW											
	6.7L CUMMINS DIESEL	A6 AS69RC	4.44	19,500	10,770	8,733	5,229	3,504	7,000 / 7,250	13,500	32,000	23,120
	6.7L CUMMINS DIESEL	A6 AS69RC	4.89	19,500	10,770	8,733	5,229	3,504	7,000 / 7,250	13,500	43,000	34,120
Notes	Payload and Max Trailer Weights are ESTIMATED values Indicates Max Payload/Trailer option (NOTE 4x2 or 4x4) All values are shown in pounds unless otherwise stated Payload and Max Trailer Weight values are rounded to the nearest 10 lbs Payload = GVWR - Base Weight GAWRs, GVWRs, and GCWRs should never be exceeded Recommended tongue weight determined by class hitch receiver and hardware limits of upfit Upfit or Aftermarket equipment weight not included in Base Weight											